



INDEX MAPS.

T. 37 N. R. 6 W. 2nd Mer.



T. 29 N. R. 7 W. 2nd Mer.



The figures on the lines refer to the page.

Township 29 North Range 7 West 2nd Mer. Indiana,

South Boundary

(Bar. 5°45' E)

West on South Side Sec. 36

6.50 Leave wet prairie on low bushy point from S. E.

13.50 Enter Dry prairie

40.00 Set Dr. Sec. post in prairie, where raise a mound

80.00 Set post Co. to Secs. 35 & 36 in prairie where raise a mound, mostly dry prairie, level good soil, but at this time wet in places

West on South Side Sec. 35

21.50 Leave prairie in a small thicket of thin timber

25.00 Enter River bottoms, a deep marsh

38.00 To Pickawink River, course from N. E. to N. W.

40.00 gr. Sec. cor. in River, in a cypress swamp from which
a Br. Oak 16 in. dia. bears West 570 lbs. dist.
no other tree

44.50 Leave River, sluggish, marshy, channel 150 to
250 yds. wide at this place

45.70 To a Br. Oak 16 in. dia. & leave marsh

48.00 Enter marsh again

60.00 To Pickawink River 200 yds. wide course N. W.

74.00 Leave marsh on bottom & rise a bank 6 feet high
to dry prairie

80.00 Set post Co. to Secs. 35 & 34 in prairie from which
a Br. Oak 15 in. dia. bears N. 74° E. 362 lbs. dist.
and raise a small mound,
prairie similar, bare & very thinly timbered.

West on South Side Sec. 34

40.00 Set Dr. Sec. post in prairie, where raise a mound

80.00 Set post Co. to Secs. 33 & 34 in prairie from which
a Y. Oak 14 in. dia. bears N. 29° W. 171 lbs. dist.

& a double Br Oak 12 in. dia. bears S. 51° W. 235 lbs. dist.

Level prairie, good clay soil, low in places

Some Hazel on W. side timber near the S. side of line,

T. 29 N. — R. 7 W. 2nd Mer. Indiana

- West on South Side Sec. 33
 29.50 Leave prairie
 30.25 To a Y. Oak 16 in. dia.
 39.00 Enter Marsh
 40.00 Set gr. Sec. post in Marsh from which
 a N. Oak 7 in. dia. bears N. 62 $\frac{1}{2}$ E. 115 lbs. dist.
 Peppercor Tree 6 " " " N. 52 E. 115 " "
 45.00 Leave Marsh
 45.60 Intersect Indian Trail corner North
 54.50 Enter prairie bottom
 56.00 To a Brook 20 yds. wide course South, on its Banks
 60.00 Leave bottoms
 68.00 Enter dry prairie
 80.00 Set post cor. to Sec. 32 & 33 in prairie
 where raise a mound.
 Dry prairie similar. Woodland thinly Timber with
 Y. & Y. Oak & some Hickory.

-
- West On South Side Sec. 32
 40.00 Set gr. Sec. post in prairie from which
 a Y. Oak 20 in. dia. bears S. 40 $\frac{1}{2}$ W. 685 lbs. dist.
 and raise a mound.
 76.50 Leave prairie on a Sandy ridge from S. E.
 80.00 Set post cor. to Sec. 31 & 32 from which
 a Y. Oak 24 in. dia. bears N. 9 $\frac{1}{2}$ W. 109 lbs. dist.
 & a Do 16 " " " N. 64 E. 261 " "
 prairie gently rolling. good Soil clay wet in
 places.

-
- West on South Side Sec. 31
 4.00 Leave Ridge & Enter great dry prairie
 40.00 Set gr. Sec. post, in prairie where raise a mound
 82.00 Set post for S. W. cor. T. 29 N. of R. 7 W. & S. E. cor.
 of T. 29 N. of R. 8 W. in prairie. Where raise a mound
 Land rolling prairie. 2nd rate Mostly Sandy Soil
 March 26 Clear & pleasant

Surveyed in March 1834 by

Robert Black Jr. Dep. Sur.

East Boundary

(Bar. 5° 45')

North on East Side Sec. 36
 15.00 Leave wet prairie
 33.00 Enter wet prairie
 40.00 Set g^r. Sec. post, in wet prairie water 12 in. deep from top
 to Y. Oak 28 in. dia, bears N. 25° W. 9.61 lks. dis.^t
 Leave
 47.00 Wet prairie on Sand Ridge
 59.00 Enter dry prairie
 80.00 Set post cor. to Secs. 25 & 36 in prairie where
 raise a mound, wet prairie 2nd rate soil - half
 covered with water at this time, bears thin sandy
 soil, thinly timbered N & Y. Oak. Dry prairie level
 2nd rate, wet in places

North on East Side Sec. 25
 38.00 Leave prairie
 40.00 Set g^r. Sec. post from which
 to Y. Oak 6 in. dia, bears S. 68° W. 121 lks. dis.^t
 & to Do 36 " " " N. 78½° W. 62 " "
 46.50 To Pickawentash River 220 lks. wide course S. W. *
 56.40 To do Brook 5 lks. wide course S. W.
 62.14 To do Br. Oak 12 in. dia,
 64.20 To do Brook 4 lks. wide course S. E.
 68.00 Intersect Indian Trail course East
 80.00 Set post cor. to Secs. 24 & 25 from which
 to Br. Oak 16 in. dia, bears S. 54½° W. 109 lks. dis.^t
 & to Do 17 " " " N. 67° W. 100 " "
 Prairie similar. North of prairie good soil some
 good timber, mostly Oak.

* This stream should probably be meandered up to this
 line, where I run the correction line & this one

July 29, 1871. P. 7. 4th 2nd Mer. Indiana,

across it, the water was very high and supposed
would fall down to a small stream, but I have
told them is one or two feet water all summer, at
any rate it should by all means be meandered as
far up as possible as set, viz. to the line between Ranges
7 & 8th, as below this line the banks are dry & Rich
& the channel narrow & deep - this stream is called by
the "Pottowattomies" Pick a minute by the French "La Riviere
des Iroquois" by the Hoosiers "Rock River"

North on East Side Sec. 24

10.00 Leave Timber & Enter large dry prairie

26.00 Enter Hazel & c. thicket

29.20 Leave Do Do

40.00 Set gr. Sec. post in prairie where raise a mound

50.00 Set post cor. to Secs, 13 & 24 in prairie where
raise a mound.

Land mostly dry prairie good soil. Some
low and wet places.

North on East Side Sec. 13

40.00 Set gr. Sec. post in prairie where raise a mound

80.00 Set post cor. to Secs, 12 & 13 in prairie where
raise a mound.

Land rolling dry prairie, mostly a good sandy
soil. Some low and (at present) wet places.

North on East Side Sec. 12

40.00 Set gr. Sec. post in prairie where raise a mound

80.00 Set post cor. to Secs, 1 & 12 in prairie where
raise a mound, Land similar

North on East Side Sec. 1

34.00 Enter Marsh

40.00 Set gr. Sec. post in Marsh water too deep for a mound.

48.50 Leave Marsh,

74.87 post cor. to T. 29 & 30 N. R. 6 & 7 West;
 Land similar, more wet places & level,
 Surveyed in March 1834 by
 Robert Clark Jr. Dep. Sur.

North Boundary

West on South Side Sec. 36 T. 30 N. R. 7 W.
 40.00 Set 9th Sec. post in prairie where raise a mound
 80.00 Set post cor. to Sec. 35 & 36 in prairie where
 raise a mound,
 Land gently rolling, dry prairie, 2nd rate Soil,
 Some parts very sandy, some low wet places

West on South Side Sec. 35 T. 30 N. R. 7 W.
 40.00 Set 9th Sec. post in prairie from which
 to G. Oak 14 in. dia, bears N. $7\frac{1}{2}^{\circ}$ E. 773 lks. dist.
 " " Do 16 " " " N. $70\frac{1}{4}^{\circ}$ W. 608 " "
 80.00 Set post cor. to Sec. 34 & 35 from which
 to G. Oak 16 in. dia, bears N. 14° W. 327 lks. dist.
 " " Do 20 " " " N. 20° W. 154 " "
 Land similar some Hazel brush,

West on South Side Sec. 34 T. 30 N. R. 7 W.
 5.00 Leave prairie
 12.38 To " G. Oak 16 in. dia.
 40.00 Set 9th Sec. post from which
 to G. Oak 18 in. dia, bears N. $7\frac{1}{2}^{\circ}$ W. 242 lks. dist.
 " " Do 16 " " " N. $88\frac{3}{4}^{\circ}$ W. 323 " "
 57.68 To " G. Oak 13 in. dia.
 75.50 Enter Marsh
 80.00 Set post cor. to Sec. 33 & 34 from which
 to G. Oak 14 in. dia, bears N. $27\frac{1}{2}^{\circ}$ E. 173 lks. dist.
 " " Do 17 " " " N. $88\frac{3}{4}^{\circ}$ W. 516 " "
 E. $\frac{1}{2}$ level bears good Soil, wet places thinly
 timbered, W. G. & B. Oak W. $\frac{1}{2}$ gently rolling prairie,

T. 29 N. R. 7 W. 2nd Mer. Indiana.

West on South Side Sec. 33 T. 30 N. R. 7 W.

- 3.75 Leave Marsh
 17.46 To a Y. Oak 18 in. dia.
 30.52 To a Y. Oak 16 in. dia.
 40.00 Set gp. Sec. post from which
 a R. Oak 17 in. dia. bears N. 64° E. 207 lks. dist.
 " Do 16 " " " N. 3 W. 97 " "
 42.60 To a R. Oak 19 in. dia.
 43.50 Enter Marsh
 50.00 Set post cor. to Sec. 32 + 33 water 3 feet deep from which
 a Y. Oak 16 in. dia. bears N. 88 W. 600 lks. dist.
 No other tree,
 Dry land gently rolling, poor barrens Y. R. & Y. Oak.

West on South Side Sec. 32 T. 30 N. R. 7 W.

- 4.50 To Island of dry barrens
 7.62 To a Y. Oak 18 in. dia.
 14.00 Enter Marsh again
 38.00 Leave Do
 40.00 Set gp. Sec. post, from which
 a Y. Oak 20 in. dia. bears N. 67 W. 70 lks. dist.
 " Do 12 " " " East 25 " "
 49.50 Antisept Indian Trail course N. W.
 67.00 Enter Marsh
 79.00 Leave Do, most of it North.
 80.00 Set post cor. to Sec. 31 & 32 from which
 a Y. Oak 20 in. dia. bears N. 74 W. 63 lks. dist.
 " Do 19 " " " West 13 " "
 Land ve. Similar

West on South Side Sec. 31 T. 30 N. R. 7 W.

- 3.00 Enter Marsh, mostly to the North of here
 10.00 Leave Do
 24.47 To a Y. Oak 18 in. dia.
 30.00 Enter Marsh again
 37.00 Leave Do

T. 29 N. R. 7 W. 2nd Mer. Indiana,

- 40.00 Set of Sec. post from which
 to M. Oak 13 in. dia. bears N. 38 $\frac{1}{2}$ E. 83 lks. dis;
 & to Do 12 " " " N. 6 W. 25 " "
- 40.45 To M. Oak 12 in. dia,
- 46.50 Enter Marsh
- 62.50 Leave Do
- 67.00 Enter Do
- 73.00 Leave Marsh
- 79.13 Intersect West Boundary at ^{m. ch. lks} 5, 79, 15 where set post
 cor. to T. 29 & 30 N. of R. 7 & 8 W. from which
 to M. Oak 16 in. dia. bears S. 64 $\frac{1}{2}$ W. 37 lks. dis;
 & to Do 16 " " " N. 67 W. 68 " "
- Land &c. similar. April 1st at 5 P.M. has rained for
 the last 30 hours and this country wet before is now
 almost inundated,
 Surveyed April 1st 1834 by
 Robert Clark Jr. Dep. Sur.

West Boundary

- North on East Side Sec. 36 T. 29 N. R. 8 W. (Var. 5° 25' E.)
- 40.00 Set of Sec. post in prairie where raise a mound
- 61.00 Set post cor. to Sec. 25 & 36 in prairie where raise
 a mound. S. $\frac{1}{2}$ broken by low places and sand hills,
 N. $\frac{1}{2}$ level good soil all prairie
- Note, March 27, last night about one mile from the
 Town cor. on the preceding page, in a N. E. direction
 observed for the variation and found it but 5° 16'—
 discount yesterday in copying Range 7 that I was
 running to a lip bar, and also satisfied from observation
 that the var. is from 5 to 10 minute less at the point
 where I took it than at the Town corner, and accord-
 -ingly shall run from that cor. at 5° 25'

- North on East Side Sec. 25 T. 29 N. R. 8 W.
- 40.00 Set of Sec. post in prairie where raise a mound

T. 29 N. — R. 7 W. 3rd Mer. Indiana,

80.00 Set post Cor. to Secs, 24 & 25 when raise a mound
Land level prairie broken by wet places, good soil

North on East Side Sec. 24 T. 29 N. R. 8 W.

40.00 Set q^r. Sec. post in prairie when raise a mound

50.00 Set post Cor. to Secs, 13 & 24 in prairie when raise
a Mound, land similar rolling,

North on East Side Sec. 13 T. 29 N. R. 8 W.

40.00 Set q^r. Sec. post in prairie from which
a Y. Oak 8 in. dia. bears S. 25 $\frac{3}{4}$ W. 448 lbs. dist,
when raise a small mound,

60.00 Leave prairie & Enter Marsh

80.00 Set post Cor. to Secs, 12 & 13 in Marsh from 1 to 3 $\frac{1}{2}$
feet deep & has a strong current to S. E. from which
a Y. Oak 7 in. dia. bears N. 35 $\frac{1}{2}$ E. 359 lbs. dist,
No other near,
Land to Marsh similar. Some Hazel

North on East Side Sec. 12 T. 29 N. R. 8 W.

15.00 Leave Marsh & Enter Rich barrens

40.00 Set q^r. Sec. post from which
a Y. Oak 36 in. dia. bears S. 40 $\frac{1}{4}$ W. 202 lbs. dist,
a Br. Oak 24 " " " N. 54 W. 298 " "
an old Indian Town some 20 or 30 Chs. East of from the cor.

50.00 To an Indian field 5.00 West old not used,

57.47 To a Br. Oak 18 in. dia.

80.00 Set post Cor. to Secs, 1 & 12 from which

a R. Oak 17 in. dia. bears N. 55 $\frac{1}{2}$ W. 151 lbs. dist,
a Br. Oak 16 " " " S. 55 W. 161 " "
St. of Marsh land rolling 1st rate, thinly timbered
with Large Br. Oaks some W. & Y. Oak & Cherry, under-
growth Hazel Plum &c,

North on East Side Sec. 1 T. 29 N. R. 8 W.

40.00 Set q^r. Sec. post from which

N. 29 N. — R. 7 W. 2nd Mer. Indiana

to W. Oak 13 in. dia. bears N. 29 W. 131 lks. dist.
 & to Br. Oak 14 " " " S. 1 W. 134 " "
 42.86 To a W. Oak 12 in. dia.
 54.37 To a W. Oak 16 in. dia.
 79.15 post cor. to S. 29 & 30 N. R. 7 & 8 W.
 1/2 land similar North & rolling broken poor
 lands. W. & Br. Oak

Surveyed in April 2nd 1834 by

Robert Clark Esq. Dep. Sur.

Subdivisions

(Bear. 5° 58' E.)

North Between Sections 35 & 36
 27.18 Enter Timber at a Br. Oak 24 in. dia.
 40.00 To a Blk. Oak 12 in. dia. marked as gr. Sec. post.
 68.50 Enter Marshy prairie
 80.00 Set post cor. to Sec. 25, 26, 35 & 36. when raise a mound
 pit South 3 lks. dist.
 Timber W. & Blk. Oak Soil Sandy 2nd rate land level

East on Railroad between Sec. 25 & 36
 5.00 Enter scattering Oak Timber
 35.50 Leave same & enter prairie
 80.00 Intersect East line of Sec. 49 lks. North of post.
 Soil in Timber Sandy & poor, in prairie good level

West Correct line between Sec. 25 & 36
 40.00 Set Dr. Sec. post when raise a mound
 pit East 3 lks. dist.
 80.00 Section Corner,

North Between Sections 25 & 26
 13.00 Intersect Richamink River 1 chain wide course S. W.
 current slow.
 15.00 Enter Timber
 40.00 Set Dr. Sec. post from which

T. 29. N. R. 7 Y. 2nd Mer. Indiana

6. Lhs. @ Hickory 15 in. dia. bears N. 50 $\frac{1}{2}$ E. 12 Lhs. dist.
 & @ Br. Oak 8 " " " S. 49 N. 27 " "
 40.18 To @ Br. Oak 18 in. dia.,
 58.75 To @ Br. Oak 10 in. dia.,
 80.00 Set post cor. to Secs 23, 24, 25 & 26 from which
 @ Br. Oak 30 in. dia. bears N. 51 E. 82 Lhs. dist.
 & @ Hickory 18 " " " S. 82 N. 33 " "
 Soil Sandy. Timber Oak & Hickory

East on Random between Secs 24 & 25
 71.60 To @ Brook 8 Lhs. wide course South,
 79.94 Intersect East line of Sec. 110 Lhs. North of post;
 Land level Soil Sandy & poor. Oak of all kinds & Hickory

West Correct line between Secs 24 & 25
 5.10 To @ B. Oak 12 in. dia.,
 39.97 Set g^r. Sec. post from which
 @ B. Oak 30 in. dia. bears N. 70 E. 338 Lhs. dist.
 & @ W Oak 36 " " " S. 60 N. 743 " "
 49.30 To @ B. Oak 22 in. dia.,
 51.00 To @ Br. Oak 24 in. dia.,
 79.94 Section Corner,

North Between Sections 23 & 24
 6.50 Enter prairie
 40.00 Set g^r. Sec. post where raise a mound
 pit East 3 Lhs. dist.
 80.00 Set post cor. to Secs 13, 14, 23 & 24 where raise a
 mound pit South 3 Lhs. dist.
 Dry prairie level 2nd rate

East on Random between Secs 13 & 24
 80.05 Intersect East line of Sec. 150 Lhs. North of post
 Land all rich prairie, gently rolling.

West Correct line between Secs 13 & 24

^{1st} T. 29 N. R. 7 W. 2nd Mo. Ind.^a

40.00⁰⁰ Set q^r. sec. post, in prairie. Raise a mound
a Pit, East 3 lks. dist.
80.00 To sec. corner. Dec. 4th 1834.

North Between sections 13 & 14.

40.00 Set q^r. sec. post. & Raise a mound
a Pit, East 3 lks. dist.

80.00 Set post cor. Sec. 11, 12, 13 & 14. in mound
a Pit, South 3 lks. dist.

Land rolling prairie, rich 1st rate, grassy.

East On Random between sec. 12 & 13.

80.00 Intersect E. boundary 131 lks. N. of post
Land &c. same as on last mile.

West Correct the line between sec. 12 & 13.

40.00 Set q^r. sec. post. & Raise a mound
a Pit, East 3 lks. dist.

80.00 To sec. corner.

North Between sections 11 & 12

40.00 Set q^r. sec. post. & Raise a mound
a Pit East 3 lks. dist.

80.00 Set post cor. sec. 1, 2, 11 & 12, in mound
a Pit South 3 lks. dist.

Land, rolling prairie & dry. 1st rate

East On Random between sec. 1 & 12

80.00 Intersect East boundary 79 lks. E. of post
Land, rolling prairie. mostly dry, 1st rate

West Correct line between sec. 1 & 12

40.00 Set q^r. sec. post, in a mound
a Pit, East 3 lks. dist.

80.00 To sec. corner.

^{un}
T. 29 N. R. 7 W. 2nd Mer. Ind.

North Between sections 1 & 2 -

40.00 Set q^r. sec. post where raise a mound
a Pit East 3 lks. dist.

72.42 Intersect N. boundary 29 lks. West of post
where set post & raise a mound for
cor. sec. 1 & 2, a Pit South 3 lks. dist.
Land rolling & sandy rich prairie. Dec. 5th

North Between sections 34 & 35

40.00 Set q^r. sec. post & raise a mound
a Pit East 3 lks. dist.

80.00 Set post cor. sec. 26, 27, 34 & 35.
where raise a mound
Level rich prairie. 1st rate - Grap^r.

East On Random between sec. 26 & 35

37.50 Enter scattering Oak timber

50.50 Leave same & enter wet prairie

70.42 To Pickawink River 150 lks. wide cor. S.W. (slow)

79.90 Intersect E. line of sec. 7 lks. N. of post
Prairie West of creek, dry. Timb^d land sandy
all 2nd rate.

West Correct line between sec. 26 & 35

39.95 Set q^r. sec. post from which
a B. Oak 8 in. dia. bears S 96° 50 lks. dist.
& a Do. 12 " " " N 54° W 119 " "

79.90 To sec. corner.

North Between sections 26 & 27.

9.00 Enter timber

37.00 To a Bl. Oak 30 in. dia.

40.00 Set q^r. sec. post from which
a B. Oak 8 in. dia. bears N 87° W. 14 lks. dist.
& a R. Oak 12 " " " S 67½° E 68 " "

77.31 To a Hickory 20 " " -

111
 29th N. R. 7 W. 2nd Mer. Indiana

247

80.00 Set post cor. to Secs, 22, 23, 26 & 27 from which
 a Br. Oak 36 in. dia. bears S. 13 E. 66 lks. dis.^t
 & a Hickory 24 " " " N. 3. W. 250 " "
 Soil Sandy, Timber W. Blk & Br. Oak & Hickory
 Second rate land,

East on Randon between Secs, 23 & 26
 79.92 Intersect East line of Sec, 2 lks. South of post
 Level level Timber Blk. W. Br. Oak & Hickory &
 Aspin, undergrowth & Hazle 2nd rate

West Correct line between Secs, 23 & 26
 5.00 To a Blk Oak 30 in. dia,
 39.76 Set Dr. Sec. post from which
 a Br. Oak 12 in. dia. bears S. 71 W. 144 lks. dis.^t
 & a Do 24 " " " N. 51 W. 157 " "
 44.97 To a Blk. Oak 24 in. dia,
 79.92 Section Corner,

North Between Sections 22 & 23
 3.50 Enter prairie
 40.00 Set gr. Sec. post where raise a mound
 pit East 3 lks. dis.^t
 80.00 Set post cor. to Secs, 14, 15, 22 & 23 & raise a mound
 rolling dry & Rich prairie, pit South 3 lks. dis.^t

East on Randon between Secs, 14 & 23
 79.94 Intersect East line of Sec, 8 lks. North of post
 Rich rolling prairie, with a few small flag ponds

West Correct line between Secs, 14 & 23
 39.97 Set gr. Sec. post, where raise a mound pit E. 3 lks. dis.^t
 79.94 To Section Corner,

North Between Sections 14 & 15
 40.00 Set gr. Sec. post, where raise a mound, pit East 3 lks. dis.^t

24 N. — R. 7 W. 2nd Mer. Indiana

80.00 Set post cor. to Sec 10, 11, 14 & 15 where raise a mound
pit South 3 lks. dis.
Prairie mostly level & rich, Dec. 6th 1884

East on Random between Sec 11 & 14

80.00 Intersect East line of Sec 32 lks North of post
Level prairie with some wet places & some Hazel
thickets 2nd rate P. grass.

West Correct line between Sec 11 & 14

40.00 Set gr. Sec. post, where raise a mound, pit East 3 lks,

80.00 To Section Corner,

North Between Sections 10 & 11

40.00 Set gr. Sec. post, where raise a mound, pit East 3 lks,

80.00 Set post cor. to Sec 2, 3, 10 & 11 where raise a mound
pit South 3 lks. dis.

Level prairie mostly dry & rich

East on Random between Sec 2 & 11

80.09 Intersect East line of Sec 21 lks. North of post
Land the same as last

West Correct line between Sec 2 & 11

40.04 $\frac{1}{2}$ Set gr. Sec. post, where raise a mound pit East 3 lks, dis.

80.09 To Section Corner,

North Between Sections 2 & 3

40.00 Set gr. Sec. post where raise a mound pit East 3 lks. dis.

73.00 Intersect North Boundary 44 lks West of post, where
Set post & raise a mound cor. to Sec 2 & 3

pit South 3 lks. dis.

Level prairie rather low & wet 2nd rate, Dec. 8th 1884

North Between Sections 33 & 34

40.00 Set gr. Sec. post, where raise a mound pit E. 3 lks dis.

60.00 Enter Timber
 73.21 To a Black Oak 15 in. dia,
 74.00 Leave grove & Enter prairie
 80.00 Set post cor. to Sec^s 27, 28, 33 & 34 where raise a
 mound pit South 3 lks. dis.^t
 Land level & mostly dry, 2nd rate

East On Random between Sec^s 27 & 34
 12.50 Enter Timber
 29.00 Leave Do & Enter prairie
 79.88 Antisect East line of Sec^s 35 lks. South of post
 Land level & dry, Timber scattering Oak 2nd rate

West Correct line between Sec^s 27 & 34
 39.94 Set gr. Sec. post; where raise a mound pit East 3 lks. dis.
 79.88 To Section Corner,

North Between Sections 27 & 28
 27.50 To a W. Oak 26 in. dia,
 40.00 Set gr. Sec. post, where raise a mound, pit East 3 lks. dis.^t
 80.00 Set post cor. to Sec^s 21, 22, 27 & 28 where raise a
 mound, pit South 3 lks. dis.^t
 Wet prairie with a few scattering W. Oaks Soil poor,

East On Random between Sec^s 22 & 27
 8.50 Enter Timber
 79.99 Antisect East line of Sec^s 11 lks. South of post,
 Land level & sandy. Timber W, Blk. & Br. Oak scattering
 no undergrowth

West Correct line between Sec^s 22 & 27
 39.97 Set gr. Sec. post from which
 a Br. Oak 30 in. dia. bears S. 54 E. 30 lks. dis.^t
 & a Do 18 " " " N. 50¹/₂ W. 141 " "
 45.00 To a Br. Oak 36 in. dia,
 79.94 To Section Corner,

of J. 29th N. — R. 7. Y. 2nd Sec. Mer. Indiana

North Between Sections 21 & 22

- 3.00 Enter Timber
 8.19 To a H. Oak 20 in. dia,
 18.50 Enter prairie
 40.00 Set gr. Sec. post where raise a mound, pit East 10 lks. dist.
 80.00 Set post cor. to Secs. 15, 16, 21 & 22 where raise a mound
 pit South 3 lks. dist.

Prairie generally dry, Timber Oak of all kinds, Hickory
 Cherry, underground, same with some Hazel,

East On Random between Secs. 15 & 22

- 79.86 Intersect East line of Sec. 24 lks. North of post
 Dry rolling prairie first rate

West Correct line between Secs. 15 & 22

- 39.93 Set gr. Sec. post where raise a mound, pit East 3 lks. dist.
 79.86 To Section Corner,

North Between Sections 15 & 16

- 40.00 Set gr. Sec. post, where raise a mound, pit East 3 lks. dist.
 80.00 Set post cor. to Secs. 10, 11, 14 & 15 & Raise a mound
 pit South 3 lks. dist.
 Low prairie 2nd rate rather wet. Dec. 7th 1854,

East On Random between Secs. 10 & 15

- 79.65 Intersect East line of Sec. 50 lks. South of post
 Level prairie dry & 1st rate

West Correct line between Secs. 10 & 15

- 39.82½ Set gr. Sec. post where raise a mound, pit East 3 lks. dist.
 79.65 To Section Corner,

North Between Sections 9 & 10

- 28.00 Enter Timber
 32.90 To a Blm. Oak 30 in. dia.
 40.00 Set gr. Sec. post from which

Y. 29 N. — R. 7 W. 2nd Mer. Indiana

C. Lks. Rich prairie, Timber W. & Blk. Oak, Sand level

East On Random between Secs 28 & 33

69.50 Enter wet prairie

80.00 Intersect East line of Sec, 33 lks. North of post
Land level, Timber W. & Blk. Oak Soil thin & sandy

West Corner line between Secs 28 & 33

40.00 Set gr. Sec. post from which

 to B. Oak 18 in. dia, bears N. 57 $\frac{1}{2}$ E. 214 lks. dist.

 & to W. Oak 30 " " " S. 49 $\frac{1}{2}$ W. 536 " "

80.00 To Section Corner,

North Between Sections 28 & 29

13.10 To a W. Oak 30 in dia,

40.00 Set gr. Sec. post from which

 to B. Oak 36 in. dia, bears N. 75 W. 18 lks. dist.

 & to Do 36 " " " S. 78 $\frac{1}{2}$ E. " "

41.25 To a Blk. Oak 30 in. dia,

69.96 To a Red Oak 15 in. dia,

80.00 Set post cor. to Secs 20, 21, 28 & 29 from which

 to W. Oak 36 in. dia, bears S. 33 $\frac{1}{2}$ E. 370 lks. dist.

 & to Do 15 " " " N. 65 W. 70 " "

Timber Oak of all kinds Soil Sandy in places
wet Sand level

East On Random between Secs 21 & 28

79.82 Intersect East line of Sec, 28 lks North of post
Land level, Timber W, Br, Blk & Red oak, Oak $\frac{1}{2}$
Very little Timber, Soil thin

West Corner line between Secs 21 & 28

39.91 Set gr. Sec. post from which

 to Br. Oak 12 in. dia, bears N. 67 E. 18 lks. dist.

 & to Do 14 " " " S. 12 $\frac{1}{2}$ W. 34 " "

45.00 To a W. Oak 15 in. dia,

60.00 To W. Oak 12 in. dia,
61.50 To W. Oak 15 in. dia,
79.82 To Section corner,

North Between Sections 20 & 21

16.22 To W. Oak 15 in. dia,
17.00 Enter prairie
40.00 Set gr. Sec. post where raise a mound, pit East 3 lks. dist,
55.00 Enter timber
80.00 Set post cor. to Secs 16, 17, 20 & 21 from which
 W. Oak 36 in. dia. bears S. 31 E. 120 lks. dist,
 + W. Oak 30 " " " N. 33 W. 151 " "
 prairie rich, timber oak, sand level,

East On Random between Secs 16 & 21

44.00 Enter prairie
67.00 Enter grove
74.50 Leave Do
79.61 Antiseet East line of Sec 90 lks. North of post
 sand level prairie rich, timber oak, Asp. Cherry &c,
 undergrowth Hazel Yucca &c.

West Corner line between Secs 16 & 21

39 80 1/2 Set gr. Sec. post from which
 Aspen 15 in. dia. bears S. 53 E. 98 lks. dist,
 + Hickory 24 " " " N. 36 W. 192 " "
79.61 To Section Corner, Dec. 9th, 1834,

North Between Sections 16 & 17

30.00 Enter prairie
40.00 Set gr. Sec. post where raise a mound, pit East 3 lks. dist,
80.00 Set post where raise a mound cor. to Secs 8, 9, 16 & 17
 pit South 3 lks. dist,
 sand level prairie rich, timber oak,

East On Random between Secs 9 & 16

T. 29 N. R. 7 W. 2nd Mer. Indiana.

79.78 Intersect East line of Sec. 59 lks. North of post,
Level dry rich prairie land.

West Correct line between Sec. 9 & 16

39.89 Set gr. Sec. post where raise a mound, pit East 3 lks. dist.

79.78 To Section Corner,

North Between Sections 8 & 9

40.00 Set gr. Sec. post where raise a mound pit E. 3 lks. dist.

52.50 Enter Timber

55.88 To W. Oak 22 in. dia.

80.00 Set post cor. to Sec. 4, 5, 8 & 9 from which

to W. Oak 18 in. dia. bears N. 49 E. 188 lks. dist.

to Do 36 " " " S. 20 W. 99 " "

Level prairie, dry Timber. Scattering oak. Soil good
December 10th 1884;

East On Random between Sec. 4 & 9

48.50 Enter Marshy prairie

79.62 Intersect East line of Sec. 50 lks. North of post
Land level, little Timber oak principally Soil poor,

West Correct line between Sec. 4 & 9

39.81 Set gr. Sec. post from which

to W. Oak 48 in. dia. bears N. 40 E. 100 lks. dist.

to Do 36 " " " S. 37 W. 150 " "

69.00 To W. Hickory 18 in. dia.

79.62 To Section Corner,

North Between Sections 4 & 5

40.00 Set gr. Sec. post from which

to N. Oak 15 in. dia. bears N. 26 E. 314 lks. dist.

to W. Oak 15 " " " S. 74 E. 542 " "

75.07 Intersect North Boundary. 20 lks. East of post,

where set post cor. to Sec. 4 & 5 from which

to W. Oak 18 in. dia. bears S. 49 E. 11.16 lks. dist.

S. 29 N. R. 7 W. 2nd Mer. Indiana

255

*6. Lks 1 @ Y. Oak 30 in. dia. bears S. 13 1/2 W. 11. 81 Lks. dist.
Land level & Marshy. Very few trees. B & W. Oak, Dec 13.*

North Between Sections 31 & 32

*3.00 Enter prairie
40.00 Set gr. Sec. post, where raise a mound, pit East 3 Lks. dist.
60.50 Enter Timber
67.20 To @ Blk. Oak 24 in. dia.
76.72 To @ Blk. Oak 20 in. dia.
77.50 Enter prairie
80.00 Set post cor. to Sect. 29, 30, 31 & 32 & Raise a mound
pit South 3 Lks. dist.
Land level, prairie Rich. Timber B & W. Oak, prairie grass*

East on Random between Sect. 29 & 32

*10.00 Enter Timber
61.00 To @ Brook 60 Lks. wide course S. E.
79.98 Intersect East line of Sect. 41 Lks. North of post,
Land gently rolling & Sandy, Blk., W. & Y. Oak,
undergrowth none 2nd rate*

West Correct line between Sect. 29 & 32

*39.99 Set gr. Sec. post from which
 @ B. Oak 26 in. dia. bears N. 15 W. 29 Lks. dist.
 1 @ Y. Oak 24 " " " S. 15 E. 25 " "
42.00 To @ Y. Oak 24 in. dia.
54.50 To @ Do 12 in. dia.
79.98 To Section Corner,*

West on Random between Sect. 30 & 31

*79.88 Intersect Range line 59 Lks. South of post, level dry,
prairie. West half Sandy, 2nd rate*

East Correct line between Sect. 30 & 31

*39.88 Set gr. Sec. post, where raise a mound, pit East 3 Lks. dist.
79.88 To Section Corner,*

T. 29 N. — R. 7 W. 2nd Mer. Indiana

North Between Sections 29 & 30

- 40.00 Set gr. Sec. post where raise a mound, pit East 3¹/₂ M. dist.
 60.00 Enter Timber
 66.50 To a Brook 70 M. wide course S. E.
 79.70 To a W. Oak 20 in. dia.
 80.00 Set post cor. to Sec. 19, 20, 29 & 30 from which
 to W. Oak 26 in. dia. bears S. 26¹/₂ E. 63 M. dist.
 & to Do 50 " " " N. 22 W 89 " "
 Land level except near brook, main rich Timber
 Black & White oak,

East on Random between Sec. 20 & 29

- 79.99 Intersect. East line of Sec. 30 M. South of post,
 Land level soil sandy, Timber consisting W. B. & Br. oak,
 Soil 2nd° undergrowth oak & c.

West correct line between Sec. 20 & 29

- 20.00 To a W. Oak 18 in. dia.
 39.94¹/₂ Set gr. Sec. post from which
 to W. Oak 12 in. dia. bears N. 52 W 106 M. dist.
 & to W. Oak 18 " " " S. 27¹/₂ E. 99 " "
 79.89 To Section Corner,

West on Random between Sec. 19 & 30

- 8.50 To a brook 50 M. wide course S. E.
 45.00 Enter prairie
 79.50 Intersect Range line 55 M. South of post, Land level
 Prairie rich. Timber Oak, thin some Maple —

East correct line between Sec. 19 & 30

- 39.50 Set gr. Sec. post from which
 to W. Oak 36 in. dia. bears S. 51 E. 49 M. dist.
 & to W. Oak 12 " " " N. 81¹/₂ W 16 " "
 44.30 To a W. Oak 12 in. dia.
 79.50 To Section Corner,

Sec.
 O. 29 N. R. 7 W. 2nd Mer. Ind^a

North Between sections 19 & 20.

30.04 To a W. Oak 18 in. diam.

40.00 Set g^r. sec. post from which
 a W. Oak 18 in. diam. bears S 12 E. 351 lks. dist.
 & a W. Oak 18 " " " N 74 $\frac{1}{2}$ W. 148 " "

43.69 To a W. Oak 12 " "

60.00 Enter prairie

80.00 Set post cor. sec. 17, 18, 19 & 20,
 where raise a mound. Pit. South 3 lks. dist.
 Timber Oak of all kinds. Prairie mostly dry
 & rich. Dec. 11th 1834.

East On Random between sec. 17 & 20

53.00 Enter timber

79.92 Intersect E. line of sec. 14 lks. S. of post
 Land level, Oak of all kinds & Hickory
 & Ald. Ltk. Oak & Hazel. 2nd rate.

West Correct line between sec. 17 & 20,

19.50 To a Bl. Oak 18 in. diam.

39.96 Set g^r. sec. post. & Raise a mound
 a Pit. East 3 lks. dist.)

79.92 To sec. corner.

West On Random between sec. 18 & 19

5.50 Enter scattering timber

42.00 a Brook 50 lks. wide cr. S. E.

43.00 Enter prairie

79.38 Intersect Range line 11 lks. S. of post
 Land level, soil mostly dry & good
 Timber scarce Bl & Br. Oak. —

East Correct line between sec. 18 & 19

39.38 Set g^r. sec. post from which

a W. Oak 24 in. dia. bears S 79 $\frac{1}{2}$ E 331 lks. dist.

& a Do. 24 " " " N 63 $\frac{1}{2}$ E 307 " "

^{map}
T. 29 N. R. 7 W. 2nd Mer. 3rd.

45.00 To a Br. Oak 15 in. diam.,
79.38 " Sec. corner,

North Between sections 17 & 18.

40.00 Set q^r. sec. post. & Raise a mound
a Pit. East 3 lks. dist.

69.00 Enter scattering timber

80.00 Set post cor. Sec. 7, 8, 17 & 18. from which
a Br. Oak 12 in. diam. bears S 75 E. 35 lks. dist.,
& a Do. 15 " " " N 53 E 52 " "
& " Do. 15 " " " S 75 W 56 " "
& a Do. 18 " " " N 66 W 100 " "

Land moderately rolling, soil good. Br. Oak &
Hickory timber.

East On Random between Sec. 8 & 17.

79.75 Intersect E. line of sec. 45 lks. S. of post
Timber very scattering, land rather wet,

West Correct line between sec. 8 & 17

39.87½ Set q^r. sec. post. from which
a Br. Oak 12 in. diam. bears S 63 E. 42½ lks. dist.,
& a Do. 36 " " " N 39 W. 225 " "

79.75 Sec. corner,

West On Random between Sec. 7 & 18.

9.00 Enter prairie

40.00 Enter Grove

70.00 leave same & Enter marsh

79.41 Intersect Range line 80 lks. N. of post
6½ rich, W½ sandy & very little timber

East Correct line between sec. 7 & 18.

14.00 To a W. Oak 18 in. diam.,

39.41 Set q^r. sec. post. from which
a Jack Oak 14 in. diam. bears N 66½ W 80 lks. dist.

^{1st} S. 29 N. R. 7 W. 2nd ^{by} Meas. Ind^a

C. L. & a W. Oak 24 in. dia. bears S 51 W. 468 lks. dist.
79.41 To sec. corner,

North Between sections 7 & 8,

28.69 a Bl. Oak 9 in. diam,

40.00 Set g^r. sec. post from which
a Bl. Oak 9 in. dia. bears S. 39 W 152 lks. dist.,
& a J. Oak 12 " " " N 59 $\frac{1}{2}$ E 70 " "

80.00 Set post cor. sec. 5. 6. 7 & 8 from which
a W. Oak 18 in. dia. bears N 18 E 261 lks. dist.,
& a R. Oak 24 " " " S 5 $\frac{1}{2}$ W 297 " "

Land level & rather low. Timber very scarce
Oak of all kinds, some wet places, 2nd rate. Dec 12.

East On Random between sec. 5 & 8,

30.00 Clear marshy prairie & better timber

80.04 Intersect E. line of sec. 36 lks. S. of post
Land level thinly timbered. Oak & Hickory
2nd rate sandy soil.

West Correct line between sec. 5 & 8,

7.50 a W. Oak 24 in. diam,

29.00 " Do. 36 " "

40.02 Set g^r. sec. post from which
a W. Oak 20 in. dia. bears N. 8 $\frac{1}{2}$ E 143 lks. dist.,
& a Do. 30 " " " S 49 W 163 " "

80.04 To sec. corner,

West On Random between sec. 6 & 7

79.43 Intersect Range line 80 lks. N. of post
Land level & dry. Timb: Hickory, Br. W &
Bl. Oak. W. G. Hazel. 2nd rate land

East Correct line between sec. 6 & 7

a B. Oak 24 in. dia. bears N 70 E 352 lks. dist.,

& a J. Oak 12 " " " S 49 $\frac{1}{2}$ E 368 " "

^{4th}
 T. 29 N. R. 7 W. 2nd Mer. Ind.

- 5.00 a Bl. Oak 15 in. diam.
 34.50 " Br. Oak 18 " "
 39.43 Set q^r. sec. post from which
 a Br. Oak 18 in. dia. bears N 49 E. 35 lks. dist.
 & a Do. 24 " " " S 16 1/2 W 78 " "
 50.00 a Hickory 6 " "
 79.43 To sec. corner,

North Between sections 5 & 6.

- 40.00 Set q^r. sec. post from which
 a Bl. Oak 15 in. dia. bears S 46 1/2 E 323 lks. dist.
 & a Do. 12 " " " N 30 1/2 W 156 " "
 51.13 a W. Oak 24 " "
 68.50 a Bl. Oak 26 " "
 76.45 Intersect N. boundary 54 lks. E. of post
 where set post cor. sec. 5 & 6. from which
 a W. Oak 30 in. dia. bears S 31 1/2 E 320 lks. dist.
 & a Do. 18 " " " S 15 W 192 " "
 Sound level & marshy thinly timbered.
 Oak of all kinds. N. G. same. Dec. 13th 1834

General Description.

In the survey of this township, no springs nor stone have been discovered. The timber is generally good & the prairies mostly dry & rich; & the township will admit of considerable settlements. Prairie is covered with what is called prairie grass.

In sections 7 & 21 are the remains of old Indian villages once called Nonce's villages & about them there is considerable Blue grass no line runs through the town.

There are some old trees in this township which appear not to have been used for some time, & I did not think it necessary to note them.

^{4th} T. 29 N. R. 7 W. 2nd Mer. Ind^a

I hereby certify that in pursuance of a contract with Mr. T. Williams, Surveyor General of the United States for the states of Ohio, Indiana & the Territory of Michigan, dated 27th day of September 1834 and in strict conformity to the laws of the United States & the instructions of said Surveyor General, I have surveyed & subdivided into sections, Township 29 North, Range 7 West of the 3rd principal Meridian in the state of Indiana.

And I do certify that the foregoing are the true and original field notes of said survey & subdivision, executed as afo^r.

Certified the 26th day of Dec. 1834.

Samuel Goodnow, Dep. Sur.

Frederick Lichlyke,

Isaac Tomlinson 3 Chainmen

William D. Porter, Marker,

I certify that the foregoing transcript of field notes of Township 29 North, Range 7 West, 3rd Meridian in the state of Indiana has been compared with the original in this office and found to be correct.

William Johnston
Sur. Genl.

Surveyor General's office,
Cincinnati, Dec^r 30th 1842.
